

Allegato 3

LUGLIO-AGOSTO-SETTEMBRE 2022

Deposito oli minerali	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	100%	72%	
MIN	10,94	2,00	
MEDIANA	64,20	15,73	
MEDIA	66,66	16,37	
MAX	198,15	87,15	

Deposito oli minerali	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	100%	100%	
MIN	13,20	2,00	
MEDIANA	63,58	16,98	
MEDIA	65,99	17,41	
MAX	198,15	47,57	

Deposito oli minerali	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	100%	85%	
MIN	18,43	2,00	
MEDIANA	68,35	17,56	
MEDIA	69,26	17,91	
MAX	196,76	45,15	

Deposito oli minerali	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	100%	59%	
MIN	10,94	2,00	
MEDIANA	60,00	0,14	
MEDIA	64,72	13,79	
MAX	190,19	87,15	

LUGLIO-AGOSTO-SETTEMBRE 2022

Lanterna	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,		98%	98%
MIN		0,38	0,24
MEDIANA		6,52	4,51
MEDIA		7,18	5,29
MAX		55,98	34,99

Lanterna	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,		97%	97%
MIN		0,77	0,77
MEDIANA		6,05	6,05
MEDIA		6,99	6,99
MAX		22,26	22,26

Lanterna	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,		99%	97%
MIN		1,60	0,99
MEDIANA		7,66	4,80
MEDIA		8,16	5,11
MAX		55,98	34,99

Lanterna	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,		100%	100%
MIN		0,38	0,24
MEDIANA		5,48	3,30
MEDIA		6,38	3,78
MAX		39,21	24,50

LUGLIO-AGOSTO-SETTEMBRE 2022

Scuola Abba Gastaldi	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	97%	97%	
MIN	7,23	9,40	
MEDIANA	61,83	16,11	
MEDIA	65,75	16,60	
MAX	165,39	46,38	

Scuola Abba Gastaldi	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	94%	92%	
MIN	6,81	9,40	
MEDIANA	72,76	16,78	
MEDIA	72,09	17,35	
MAX	165,39	40,82	

Scuola Abba Gastaldi	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	98%	98%	
MIN	15,27	10,34	
MEDIANA	62,73	15,88	
MEDIA	67,23	16,27	
MAX	158,31	28,01	

Scuola Abba Gastaldi	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	100%	100%	
MIN	7,23	10,83	
MEDIANA	53,68	15,79	
MEDIA	57,92	16,19	
MAX	142,25	46,38	

LUGLIO-AGOSTO-SETTEMBRE 2022

Castello de Albertis	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	99%	99%	
MIN	0,16	8,76	
MEDIANA	26,62	15,61	
MEDIA	31,34	21,01	
MAX	126,84	209,28	

Castello de Albertis	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	96%	96%	
MIN	0,16	10,82	
MEDIANA	23,59	16,14	
MEDIA	29,30	31,91	
MAX	121,98	209,28	

Castello de Albertis	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	100%	100%	
MIN	5,50	8,76	
MEDIANA	28,76	15,74	
MEDIA	35,08	15,89	
MAX	113,75	23,74	

Castello de Albertis	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	100%	100%	
MIN	3,71	11,67	
MEDIANA	26,96	15,08	
MEDIA	29,64	15,23	
MAX	126,84	29,75	

LUGLIO-AGOSTO-SETTEMBRE 2022

Parco Villa di Negro	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,		98%	98%
MIN		0,27	0,17
MEDIANA		5,38	3,77
MEDIA		5,81	4,47
MAX		50,08	31,30

Parco Villa di Negro	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,		97%	97%
MIN		0,80	0,80
MEDIANA		5,12	5,11
MEDIA		5,88	5,88
MAX		17,40	17,40

Parco Villa di Negro	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,		99%	98%
MIN		1,61	1,01
MEDIANA		6,55	4,10
MEDIA		6,94	4,35
MAX		21,44	13,38

Parco Villa di Negro	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,		100%	100%
MIN		0,27	0,17
MEDIANA		5,30	2,80
MEDIA		4,60	3,19
MAX		50,08	31,30

LUGLIO-AGOSTO-SETTEMBRE 2022

Museo Sant'Agostino	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,		97%	98%
MIN		0,35	0,22
MEDIANA		7,20	5,08
MEDIA		7,98	5,96
MAX		33,69	33,69

Museo Sant'Agostino	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,		95%	95%
MIN		0,96	0,93
MEDIANA		7,31	7,31
MEDIA		8,11	8,11
MAX		33,69	33,69

Museo Sant'Agostino	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,		99%	98%
MIN		1,41	0,88
MEDIANA		8,74	5,49
MEDIA		9,22	5,79
MAX		31,93	20,48

Museo Sant'Agostino	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,		99%	99%
MIN		0,35	0,22
MEDIANA		5,95	3,56
MEDIA		6,62	3,99
MAX		33,23	20,67

LUGLIO-AGOSTO-SETTEMBRE 2022

Ex lavanderia porto	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	100%	100%	
MIN	20,50	4,93	
MEDIANA	54,71	14,49	
MEDIA	57,55	14,61	
MAX	180,52	26,59	

Ex lavanderia porto	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	100%	100%	
MIN	20,50	4,93	
MEDIANA	54,03	14,77	
MEDIA	56,77	14,88	
MAX	180,52	24,87	

Ex lavanderia porto	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	100%	100%	
MIN	23,33	9,41	
MEDIANA	55,33	14,81	
MEDIA	59,36	14,91	
MAX	152,90	26,59	

Ex lavanderia porto	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	100%	100%	
MIN	25,58	7,58	
MEDIANA	54,69	13,89	
MEDIA	56,52	14,05	
MAX	144,49	25,19	

LUGLIO-AGOSTO-SETTEMBRE 2022

Largo San Francesco da Paola	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	83%	86%	90%
MIN	0,16	0,43	0,27
MEDIANA	55,00	7,18	4,77
MEDIA	64,40	8,39	5,70
MAX	249,58	61,22	38,26

Largo San Francesco da Paola	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	85%	86%	82%
MIN	2,84	1,03	0,65
MEDIANA	99,06	7,89	7,21
MEDIA	103,13	10,26	7,90
MAX	249,58	40,72	36,06

Largo San Francesco da Paola	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	95%	99%	96%
MIN	0,16	1,03	0,64
MEDIANA	47,42	8,27	5,17
MEDIA	53,70	8,79	5,49
MAX	168,85	29,52	18,45

Largo San Francesco da Paola	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	68%	80%	92%
MIN	0,33	0,43	0,27
MEDIANA	29,56	5,24	3,10
MEDIA	36,36	6,12	3,72
MAX	165,86	61,22	38,26

LUGLIO-AGOSTO-SETTEMBRE 2022

Parco Villa Rosazza	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,		98%	98%
MIN		0,51	0,32
MEDIANA		6,43	4,47
MEDIA		7,27	5,38
MAX		66,00	41,21

Parco Villa Rosazza	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,		97%	97%
MIN		1,09	1,10
MEDIANA		6,17	6,17
MEDIA		7,08	7,08
MAX		22,11	22,11

Parco Villa Rosazza	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,		99%	97%
MIN		1,58	0,99
MEDIANA		7,68	4,79
MEDIA		8,22	5,15
MAX		47,54	29,60

Parco Villa Rosazza	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,		100%	100%
MIN		0,51	0,32
MEDIANA		5,38	3,27
MEDIA		6,51	3,92
MAX		66,00	41,21

LUGLIO-AGOSTO-SETTEMBRE 2022

via del Fossato semaforo MM	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	89%	93%	93%
MIN	0,23	0,41	0,26
MEDIANA	49,89	6,64	4,41
MEDIA	56,80	7,45	5,39
MAX	246,75	66,24	41,40

via del Fossato semaforo MM	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	85%	92%	81%
MIN	5,87	0,98	0,98
MEDIANA	93,67	7,36	6,75
MEDIA	94,21	8,13	7,40
MAX	246,75	36,70	22,94

via del Fossato semaforo MM	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	96%	100%	99%
MIN	0,23	1,46	0,91
MEDIANA	38,29	7,61	4,76
MEDIA	42,80	8,17	5,11
MAX	142,18	55,70	34,67

via del Fossato semaforo MM	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	83%	99%	99%
MIN	0,36	0,41	0,26
MEDIANA	28,80	5,16	3,16
MEDIA	33,39	6,04	3,66
MAX	147,87	66,24	41,40

LUGLIO-AGOSTO-SETTEMBRE 2022

Via Bari	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	69%	86%	90%
MIN	0,11	0,39	0,24
MEDIANA	65,86	6,91	4,39
MEDIA	57,00	7,48	5,35
MAX	276,65	58,71	36,69

Via Bari	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	85%	74%	73%
MIN	115,09	0,91	0,56
MEDIANA	108,93	7,15	6,42
MEDIA	73,73	7,91	7,17
MAX	276,65	25,21	25,21

Via Bari	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	71%	100%	100%
MIN	0,13	0,87	0,54
MEDIANA	48,46	7,94	4,96
MEDIA	60,55	8,62	5,38
MAX	199,01	32,73	20,45

Via Bari	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	60%	84%	96%
MIN	0,11	0,39	0,24
MEDIANA	28,15	5,06	2,96
MEDIA	36,72	5,90	3,49
MAX	180,24	58,71	36,69

LUGLIO-AGOSTO-SETTEMBRE 2022

Idrografico della Marina	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	83%	94%	
MIN	0,11	0,33	
MEDIANA	41,97	5,91	
MEDIA	49,51	6,56	
MAX	257,00	53,86	

Idrografico della Marina	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	85%	84%	
MIN	1,00	0,91	
MEDIANA	59,66	6,46	
MEDIA	66,37	7,10	
MAX	257,00	22,48	

Idrografico della Marina	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	88%	100%	
MIN	0,13	1,10	
MEDIANA	41,97	6,84	
MEDIA	49,81	7,22	
MAX	257,00	30,81	

Idrografico della Marina	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	75%	100%	
MIN	0,11	0,33	
MEDIANA	22,67	4,78	
MEDIA	32,36	5,35	
MAX	197,99	53,86	

LUGLIO-AGOSTO-SETTEMBRE 2022

Firenze	NO ₂ μg/m ³	PM10 μg/m ³	PM2,5 μg/m ³
% FUNZ,	95%		
MIN	1,34		
MEDIANA	12,43		
MEDIA	17,65		
MAX	119,72		

Firenze	NO ₂ μg/m ³	PM10 μg/m ³	PM2,5 μg/m ³
% FUNZ,	99%		
MIN	2,10		
MEDIANA	13,20		
MEDIA	19,01		
MAX	119,72		

Firenze	NO ₂ μg/m ³	PM10 μg/m ³	PM2,5 μg/m ³
% FUNZ,	87%		
MIN	1,91		
MEDIANA	14,06		
MEDIA	20,19		
MAX	108,44		

Firenze	NO ₂ μg/m ³	PM10 μg/m ³	PM2,5 μg/m ³
% FUNZ,	98%		
MIN	1,34		
MEDIANA	10,71		
MEDIA	13,75		
MAX	107,48		

LUGLIO-AGOSTO-SETTEMBRE 2022

Buozzi	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	99%		
MIN	4,21		
MEDIANA	42,27		
MEDIA	44,31		
MAX	135,02		

Buozzi	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	98%		
MIN	10,71		
MEDIANA	45,90		
MEDIA	48,21		
MAX	135,02		

Buozzi	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	99%		
MIN	4,21		
MEDIANA	41,88		
MEDIA	43,92		
MAX	124,12		

Buozzi	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	99%		
MIN	5,36		
MEDIANA	339,40		
MEDIA	40,79		
MAX	118,58		

LUGLIO-AGOSTO-SETTEMBRE 2022

Acquasola	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	97%		
MIN	1,53		
MEDIANA	8,22		
MEDIA	11,73		
MAX	142,10		

Acquasola	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	99%		
MIN	1,53		
MEDIANA	8,22		
MEDIA	11,90		
MAX	142,10		

Acquasola	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	96%		
MIN	1,72		
MEDIANA	8,61		
MEDIA	13,08		
MAX	117,24		

Acquasola	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	96%		
MIN	1,53		
MEDIANA	8,22		
MEDIA	10,22		
MAX	76,69		

LUGLIO-AGOSTO-SETTEMBRE 2022

Mezzo Mobile Nissan (Largo San Francesco da Paola)	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	98%	100%	100%
MIN	1,36	1,00	0,50
MEDIANA	18,95	12,70	6,90
MEDIA	28,57	13,96	10,72
MAX	186,14	53,00	44,30

Mezzo Mobile Nissan	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	99%	100%	100%
MIN	3,54	5,60	2,60
MEDIANA	23,42	15,50	9,00
MEDIA	33,38	16,41	19,01
MAX	186,14	42,20	27,20

Mezzo Mobile Nissan	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	97%	100%	100%
MIN	1,36	3,50	1,60
MEDIANA	20,31	11,80	6,90
MEDIA	31,18	12,78	7,31
MAX	157,49	32,90	17,90

Mezzo Mobile Nissan	NO ₂ µg/m ³	PM10 µg/m ³	PM2,5 µg/m ³
% FUNZ,	99%	100%	100%
MIN	3,29	1,00	0,50
MEDIANA	13,72	12,05	5,60
MEDIA	21,16	12,69	5,85
MAX	123,01	53,00	44,30